

**IN THE CLAIMS**

Please amend claims 19, 25, 26 and 27 and newly add claims 28 through 30 as follows:

Claims 1 through 15. (Canceled)

1           16. (Previously Presented) A call originating service method in a public/private  
2 common mobile communication system, the method comprising :

3           providing the public/private common mobile communication system comprising a  
4 plurality of mobile stations (MSs), a mobile switching center (MSC), a plurality of public  
5 mobile communication network base station controllers (BSCs) connected to the MSC, a  
6 plurality of public mobile communication network base station transceiver subsystems  
7 (BTSSs) connected to each of the plurality of BSCs, each of the plurality of these BTSSs  
8 adapted to form a corresponding public-only cell area, a public/private communication  
9 service unit connected to one of the public mobile communication network's BSCs, and a  
10 private BTS connected to the public/private communication service unit, the private BTS  
11 adapted to form a public/private common cell area, one of said plurality of MSs being  
12 within said public/private common cell area;

13           receiving at the public/private communication service unit a call origination  
14 message from the MS in the public/private common cell area through the private BTS;

15           determining whether the MS in the public/private common cell area is registered

16 for a private mobile communication service by analyzing the received call origination  
17 message;

18 transmitting transparently the call origination message to one of said plurality of  
19 public mobile communication network BSCs when the MS in the public/private common  
20 cell area is not registered for the private mobile communication service, and determining  
21 whether identification information for the private mobile communication service is  
22 included in the call origination message when the MS in the public/private common cell  
23 area is registered for the private mobile communication service; and

24 transmitting transparently the call origination message to one of said plurality of  
25 public mobile communication networks BSCs when the identification information is not  
26 included in the call origination message, and providing private mobile communication  
27 service for the MS in the public/private common cell area when the identification  
28 information is included in the call origination message.

1 17. (Previously Presented) A public/private common mobile communication  
2 system adapted to provide a public/private mobile communication service in association  
3 with a public land mobile network (PLMN), the system comprising:

4 a plurality of mobile stations (MSs), a mobile switching center (MSC), a plurality  
5 of public mobile communication network base station controllers (BSCs) connected to  
6 the MSC, and a plurality of public mobile communication network base station  
7 transceiver subsystems (BTSSs) connected to the BSC's, each of the plurality of public

mobile communication network BTSs being adapted to form corresponding public-only cell areas;

a public/private communication service unit connected to one of said plurality of public mobile communication network BSCs; and

a private BTS connected to the public/private communication service unit, the private BTS adapted to form a public/private common cell area, the public/private communication service unit receives a call origination message from a particular one of the plurality of MSs located in the public/private common cell area through the private BTS, the public/private communication service unit being configured to transparently transmit the call origination message to one of the plurality of public mobile communication network BSCs when the call origination message is a public mobile communication service request message, the public/private communication service unit being configured to provide network access for a corresponding private mobile communication service when the call origination message is a private mobile communication service request message.

18. (Previously Presented) A call originating service method in a public/private common mobile communication system, the method comprising:

providing the public/private common mobile communication system comprising a plurality of mobile stations (MSs), a mobile switching center (MSC), a plurality of public mobile communication network base station controllers (BSCs) connected to the MSC, a

6 plurality of public mobile communication network base station transceiver subsystems  
7 (BTSs) connected to each of the BSC's, each of the plurality of public mobile  
8 communication network BTSs adapted to form a corresponding public-only cell area, a  
9 public/private communication service unit connected to a particular one of the plurality  
10 of public mobile communication network BSCs, and a private BTS connected to the  
11 public/private communication service unit, the private BTS adapted to form a  
12 public/private common cell area;

13 determining whether a call origination message is a public mobile communication  
14 service request message or a private mobile communication service request message upon  
15 receiving the call origination message that requests origination of a call from one of said  
16 plurality of mobile stations located in said public/private common cell area through the  
17 private BTS; and

18 transmitting transparently the call origination message to a PLMN when the call  
19 origination message is a public mobile communication service request message, and  
20 providing a corresponding private mobile communication service when the call  
21 origination message is a private mobile communication service request message.

1 19. (Currently Amended) A call originating service method in a public/private  
2 common mobile communication system, the method comprising:

3 providing a public land mobile network (PLMN) comprising a base station  
4 transceiver subsystem (BTS) adapted to form a public cell area that is interworked with a

5 private mobile communication network comprising a BTS adapted to form a  
6 public/private common cell area enabling a subscriber to be provided with both a public  
7 mobile communication service and a private mobile communication service using a  
8 single mobile station in said public/private common cell area;

9 determining whether a call origination message is a public mobile communication  
10 service request message or a private mobile communication service request message upon  
11 receiving the call origination message for requesting origination of a call from a mobile  
12 station in the public/private common cell area through the BTS in the private mobile  
13 communication network; and

14 transparently transmitting the call origination message to the PLMN when the call  
15 origination message is a public mobile communication service request message, and  
16 providing a corresponding private mobile communication service when the call  
17 origination message is a private mobile communication service request message.

1 20. (Previously Presented) The method of claim 16, calls from the MS in the  
2 common cell area to the public mobile communication network are directly connected  
3 and interworked with the public mobile communication network without having to go  
4 through additional circuitry.

1 21. (Previously Presented) The system of claim 17, calls from the MS in the  
2 common cell area to the public mobile communication network are directly connected

3 and interworked with the public mobile communication network without having to go  
4 through additional circuitry.

1 22. (Previously Presented) The method of claim 16, calls from the MS in the  
2 common cell area to the private mobile communication service are not routed through a  
3 public mobile communications network and are not routed through a landline telephone  
4 network.

1 23. (Previously Presented) The method of claim 19, calls from the MS in the  
2 common cell area to the private mobile communication service are not routed through a  
3 public mobile communications network and are not routed through a landline telephone  
4 network.

1 24. (Previously Presented) The system of claim 17, calls from the MS in the  
2 common cell area to the private mobile communication service are not routed through a  
3 public mobile communications network and are not routed through a landline telephone  
4 network.

1 25. (Currently Amended) The method of claim 16, the common cell area being an  
2 area that provides both public and private mobile communication services to [[an]] a MS  
3 within the area without requiring the MS to roam.

1           26. (Currently Amended) The system of claim 17, a public/private  
2 communication service unit and the private BTS providing both public and private  
3 mobile services simultaneously and without requiring [[an]] a MS in the common cell  
4 area to roam to a new location to receive both of these services.

1           27. (Currently Amended) The method of claim 19, the public/private common  
2 cell area providing both public mobile and private mobile services to [[an]] a MS located  
3 within the common cell, both public mobile and private mobile services being available  
4 to the MS without requiring the MS to move or roam to a different location.

1           28. (New) The method of claim 16, public mobile communication service or  
2 private mobile communication service is provided based on the call origination message  
3 transmitted from the MS.

1           29. (New) The method of claim 16, public mobile communication service or  
2 private mobile communication service is provided without consulting a home location  
3 register or a visitor location register.

1           30. (New) The method of claim 16, the call origination message being a message  
2 according to MS communication signaling.